



Offer

12403352

Clientnumber: 50237

Firm	Stock clearance	
Name	All the clients	Tel.:
From	Evelien Arens	Tel.:+32 52 499 497
Date	13/06/2024 Valid until : 27/06/2024	Pages: 17

Your ref: Stock Clearance June - Tin cans&Fiberdrums

Our ref:12403352 EA

Page: **1**

Thank you for your interest in our products. In response to your enquiry, please find enclosed the requested details

TIN CANS

1 (222F00245) Tin can olive oil Ø56 0.25L TH exterior Silver no bung ØD27 Unique lot of +/- 4515 pieces ATTENTION! Without cap! Possible cap: - 273F00249 Cap DIN 27 black € 0.10/piece (price is only valid for stock clearance!)			
Price per	Unit price per piece	Delivery terms	Number
1 pallet	0,25 € exclusive of VAT(21%)	In stock	2280 pieces
Specifications	Attached		
Delivery conditions	Ex works		
Numbers	Palet place: 1x2280 pieces / pallet: 2280 pieces / tray: 285 pieces		



2

(222F00233) Tin can Ø165xh148 3L UN white no bung D42

Unique lot of +/- 1797 pieces

ATTENTION! Without cap!

Possible cap:

- 293F00020 Cap P4 red € 0.10/piece

(price is only valid for stock clearance!)

Price per	Unit price per piece	Delivery terms	Number
1 pallet	0,25 € exclusive of VAT(21%)	In stock	231 pieces
Specifications	Attached		
Delivery conditions	Ex works		
Numbers	Palet place: 2x231 pieces / pallet: 231 pieces / tray: 33 pieces		



3

(222F00700) Tin can rectangular 3L 178*111*H195 ASA UN white no bung ØD42

Unique lot of +/- 840 pieces

ATTENTION! Without cap!

Possible cap:

- 293F00020 Cap P4 red € 0.10/piece

(price is only valid for stock clearance!)

Price per	Unit price per piece	Delivery terms	Number
1 pallet	0,35 € exclusive of VAT(21%)	In stock	490 pieces
Specifications	Attached		
Delivery conditions	Ex works		
Numbers	Palet place: 1x490 pieces / pallet: 490 pieces / tray: 70 pieces		



4 (222S00358) Tin can 3L rectangular 164*125*h190 UN with metal bung Unique lot of +/- 2175 pieces			
Price per	Unit price per piece	Delivery terms	Number
1 pallet	0,5 € exclusive of VAT(21%)	In stock	210 pieces
Specifications	Attached		
Delivery conditions	Ex works		
Numbers	Palet place: 2x210 pieces / pallet: 210 pieces / tray: 42 pieces		



5 (222S00145) Pail 12L Ø230xh325 UNL int.gold/white + lid/ring Unique lot of +/- 2257 pieces			
Price per	Unit price per piece	Delivery terms	Number
1 pallet	2,8 € exclusive of VAT(21%)	In stock	150 pieces
Specifications	Attached		
Delivery conditions	Ex works		
Numbers	Palet place: 2x150 pieces / pallet: 150 pieces / tower stack: 10 pieces		



6 (222S00181) Pail Ø286xh248 12.5L M Int. Epoxy/white+lid UNL Unique lot of +/- 291 pieces			
Price per	Unit price per piece	Delivery terms	Number
1 pallet	2,6 € exclusive of VAT(21%)	In stock	154 pieces
Specifications	Attached		
Delivery conditions	Ex works		
Numbers	Palet place: 2x154 pieces / pallet: 154 pieces / tower stack: 14 pieces		



7 (222S00479) Tight head pail Ø286xh460;25L,UN black + bung P5 Unique lot of +/- 330 pieces			
Price per	Unit price per piece	Delivery terms	Number
1 pallet	1 € exclusive of VAT(21%)	In stock	55 pieces
Specifications	Attached		
Delivery conditions	Ex works		
Numbers	Palet place: 1x55 pieces / pallet: 55 pieces / tray: 11 pieces		



FIBERDRUMS

8 (215510040) Fiberdrum 40L ECO Ø360x420mm+lid+ring Unique lot of 6 pieces			
Price per	Unit price per piece	Delivery terms	Number
1 pallet	0,5 € exclusive of VAT(21%)	In stock	6 pieces
Specifications	Attached		
Delivery conditions	Ex works		
Numbers	Palet place: 1x45 pieces / pallet: 45 pieces / piece: 1 pieces		



9 (285F00125) Fiberdrum 80L ECO Ø380x760mm+coatin ext.+lid+ring Unique lot of +/- 98 pieces			
Price per	Unit price per piece	Delivery terms	Number
1 pallet	0,5 € exclusive of VAT(21%)	In stock	27 pieces
Specifications	Attached		
Delivery conditions	Ex works		
Numbers	Palet place: 1x27 pieces / pallet: 27 pieces / pack: 9 pieces		



10 (285F00126) Fiberdrum 100L Ø455x660mm+coating ext.+lid+ring Unique lot of +/- 61 pieces			
Price per	Unit price per piece	Delivery terms	Number
1 pallet	0,5 € exclusive of VAT(21%)	In stock	15 pieces
Specifications	Attached		
Delivery conditions	Ex works		
Numbers	Palet place: 1x15 pieces / pallet: 15 pieces / pack: 5 pieces		



Attention: delivery on returnable pallets: €12/piece (Europallet, CP1, CP2, CP3, CP9, 120x120, 110x140, 100x120, 115x115)

If returnable topdeck : €6,20/piece

All prices mentioned are VAT exclusive.

Prices based on current raw material prices.

You can also send your orders to orders@moensverpakkingen.be

Please order in multiples per pallet or per layer.

Bearing the fact that we do not have any information regarding neither the composition of the product to be filled in by your company and/or the circumstances under which this shall take place, nor the manner of which the filled packaging and the accessories are transported, we cannot give you any decisive answer concerning the compatibility with the used materials. The responsibility for possible damages and/or defects therefore entirely remains with the client. We recommend both product compatibility and stability tests to be done in your own interest.

Please respect the tightening torque of our bottles, cans and drums (with caps).

You can find the tightening torque in the specifications, if this is exceptionally not mentioned, please contact us via infosales@moenspackaging.be for more information.

Placing an order implies acceptance of our General Terms and Conditions.

<https://www.moensverpakkingen.be/en/news/general-terms-and-conditions-sale>

If you require further clarifications, please do not hesitate to contact us at anytime.

ISO 9001:2015 certified.

Best regards,

Evelien Arens

+32 52 499 497

evelien@moensverpakkingen.be



moens

p a c k a g i n g



www.moenspackaging.com

Specifications:

Enclosure of product 1

Page: 1

Tin can olive oil Ø56 0.25L TH exterior Silver no bung ØD27

(222F00245)

Technical specifications

Quality

Tin plate

Food-grade

Top

Opening for bung DIN27

Color

Silber

Inside

none

Dimensions

Height tolerance

119 mm +/-0.5mm

Diameter tolerance

56 mm +/-0.3mm

Diameter opening

27mm

Weight tolerance

70 g gt+-5%

Capacity

0.25L

Tinplate thickness top-body-bottom (mm)

0.26mm 2.8/2.8-0.16mm 2.0/2.0-0.20mm 2.0/2.0

Marking

Place

Bottom

Delivery

Number by tray

285

Number by pallet

2280

Number by pallet-place

2280

Type pallet

Pallet Euro 80x120

Packing info

Height pallet

114 cm

Weight packaging on pallet

161.100 kg.

Number by pack

285

Number by pallet-place

8

Total weight of outer packaging on pallet

Weight synth. mat. per pallet (eg.

0.5 kg.

Weight carton per pallet (eg. trays, ...)

1 kg.





moens

packaging



www.moenspackaging.com

Specifications:

Enclosure of product 2

Page: 1

Tin can Ø165xh148 3L UN white no bung D42

(222F00233)

Technical specifications

Tin plate
NON-FOOD GRADE
Opening 42mm DIN without bung
white
none

Dimensions

148 mm +-1mm
167.5 mm +-0.5mm
42mm
278 g gr+-5%
0.33mm-0.23mm-0.24mm 2.0/2.0

Marking

Bottom
UN 1A1/Y/1.2/150

Delivery

33
231
231 x 2
Pallet Euro 80x120

Packing info

123 cm
65.418 kg.
33
7
120x80x15 cm.

Total weight of outer packaging on palet

0.2 kg.
1 kg.

Quality

Top

Color

Inside

Height tolerance

Diameter tolerance

Diameter opening

Weight tolerance

Tinplate thickness top-body-bottom (mm)

Place

UN number

Number by tray

Number by pallet

Number by pallet-place

Type pallet

Height pallet

Weight packaging on pallet

Number by pack

Number by pallet-place

Dimension package

Weight synth. mat. per pallet (eg.

Weight carton per pallet (eg. trays, ...)





moens

p a c k a g i n g



www.moenspackaging.com

Specifications:

Enclosure of product 3

Page: 1

Tin can rectangular 3L 178*111*H195 ASA UN white no bung ØD42

(222F00700)

Technical specifications

Tin plate
NON-FOOD GRADE
Opening 42mm DIN without bung
white
none

Dimensions

195 mm +-1 mm
177.7 mm +-0.3 mm
110.7 mm +-0.3 mm
42 mm
327.8 g
3.2 L
0.29mm-0.23mm-0.29mm 2.0/2.0

Marking

Top
3A1/Y1.2/150
Yes

Delivery

70
490
490
Pallet One Way 115x129cm

Packing info

124 cm
161.822 kg.
70
7
120x100x30 cm.

Total weight of outer packaging on palet

0.2 kg.
1 kg.

Quality

Top

Color

Inside

Height tolerance

Lenght tolerance

Width tolerance

Diameter opening

Gewicht

Capacity

Tinplate thickness top-body-bottom (mm)

Place

UN number

With tactile sign

Number by tray

Number by pallet

Number by pallet-place

Type pallet

Height pallet

Weight packaging on pallet

Number by pack

Number by pallet-place

Dimension package

Weight synth. mat. per pallet (eg.

Weight carton per pallet (eg. trays, ...)



Moens Verpakkingen nv | infosales@moensverpakkingen.be
Zeelsebaan 24, 9200 Dendermonde | VAT BE 0465.290.687 | Tel. +32 52 21 22 77
Zevensterrestraat 7, 9240 Zele | Industriestraat 43, 9240 Zele
KBC IBAN: BE43 4498 8881 3101 | BIC: KREDBEBB
Van Breda IBAN: BE81 6451 2531 3224 | BIC: JVBABE22
BNP Paribas Fortis IBAN: BE28 0019 6143 9020 | BIC: GEBABEBB



moens

p a c k a g i n g



www.moenspackaging.com

Specifications:

Enclosure of product 4

Page: 1

Tin can 3L rectangular 164*125*h190 UN with metal bung

(222S00358)

Technical specifications

Quality

Tin plate

NON-FOOD GRADE

Top

Steel bung of 50mm

Color

no treatment

Inside

none

Dimensions

Height tolerance

190 mm +-1mm

Length

164 mm

Width

125 mm

Diameter opening

50mm

Weight tolerance

321 g gr

Capacity

3.37L

Marking

Place

Top

Delivery

Number by tray

42

Number by pallet

210

Number by pallet-place

210 x 2

Type pallet

Pallet Euro 80x120

Packing info

Height pallet

112 cm

Weight packaging on pallet

67.410 kg.

Number by pack

42

Number by pallet-place

5





moens

p a c k a g i n g



www.moenspackaging.com

Specifications:

Enclosure of product 5

Page: 1

Pail 12L Ø230xh325 UNL int.gold/white + lid/ring

(222S00145)

Technical specifications

Tin plate
NON-FOOD GRADE
Ringlid plain epoxy/white + ring
white
Goldvarnish -epoxy phenol

Dimensions

325 mm
230 mm /217mm
230mm
775 g gr
12.35L
0.26mm-0.28mm-0.28mm

Marking

Top
UN1A2/Y/110/...

Delivery

10
150
150 x 2
Pallet Euro 80x120

Packing info

123 cm
116.250 kg.
10
15

Quality

Top

Color

Inside

Height

Diameter tolerance

Diameter opening

Weight tolerance

Capacity

Tinplate thickness top-body-bottom (mm)

Place

UN number

Number by tower stack

Number by pallet

Number by pallet-place

Type pallet

Height pallet

Weight packaging on pallet

Number by pack

Number by pallet-place





moens

p a c k a g i n g



www.moenspackaging.com

Specifications:

Enclosure of product 6

Page: 1

Pail Ø286xh248 12.5L M Int. Epoxy/white+lid UNL

(222S00181)

Technical specifications

Quality

Tin plate

Top

NON-FOOD GRADE

Color

Ring lid for pail coated/white

Inside

white

Epoxy/Aflak bottom

Dimensions

Height tolerance

248 mm +-3mm

Diameter tolerance

286 mm /273+-0.5mm

Diameter opening

298+-0.5

Weight tolerance

1558 g gr+-8%

Capacity

13.28+-1%

Tinplate thickness top-body-bottom (mm)

0.45mm-0.36mm-0.36mm +-0.02mm

Marking

Place

body: construction date

UN number

1A2/Y1.8/100/...

Delivery

Number by tower stack

14

Number by pallet

154

Number by pallet-place

154 x 2

Type pallet

Europallet 80x120 + topdeck

Packing info

Height pallet

134 cm

Weight packaging on pallet

239.932 kg.

Number by pack

14

Number by pallet-place

11

Dimension package

120x80x130 cm.





moens

p a c k a g i n g



www.moenspackaging.com

Specifications:

Enclosure of product 7

Page: 1

Tight head pail Ø286xh460;25L,UN black + bung P5

(222S00479)

Technical specifications

Quality

Tin plate

Top

NON-FOOD GRADE

Color

flexible spout 57mm = P5

Inside

Black RAL9005

Plain

Dimensions

Height tolerance

460 mm +-1.5mm

Diameter tolerance

286 mm +-1.5mm

Diameter opening

57mm

Weight tolerance

1834 g gr +-4%

Capacity

27.9L

Tinplate thickness top-body-bottom (mm)

0.48mm-0.38mm-0.38mm 2.0/2.0

Marking

Place

body

UN number

1A1/Y1.5/150...

Delivery

Number by tray

11

Number by pallet

55

Number by pallet-place

55

Type pallet

Europallet 80x120 + topdeck

Packing info

Height pallet

241 cm

Weight packaging on pallet

100.870 kg.

Number by pack

11

Number by pallet-place

5





moens

p a c k a g i n g



www.moenspackaging.com

Specifications:

Enclosure of product 8

Page: 1

Fiberdrum 40L ECO Ø360x420mm+lid+ring

(215510040)

Technical specifications

cardboard
NON-FOOD GRADE
Lid + bottom in plastic ; steel closures

Dimensions

420 mm +-5mm
380 mm +-1%
+-330mm
2400 g +- 5%
43L+-10%

Marking

none

Delivery

45
45
Lost pallet 100x120

Packing info

226 cm
108.200 kg.
1
45
120x100x210 cm.

Total weight of outer packaging on palet

0.2 kg.
0 kg.

Quality

Top

Height tolerance

Width tolerance

Diameter opening

Weight tolerance

Capacity

Place

Number by pallet

Number by pallet-place

Type pallet

Height pallet

Weight packaging on pallet

Number by pack

Number by pallet-place

Dimension package

Weight synth. mat. per pallet (eg.

Weight carton per pallet (eg. trays, ...)





moens

p a c k a g i n g



www.moenspackaging.com

Specifications:

Enclosure of product 9

Page: 1

Fiberdrum 80L ECO Ø380x760mm+coat in ext.+lid+ring

(285F00125)

Technical specifications

cardboard
NON-FOOD GRADE
Lid + bottom in plastic ; steel closures
Plain, chemical treatment

Dimensions

760 mm +-5mm
400 mm +-1%
+-350mm
2780 g gr+-10%
86L+-10%

Marking

none

Delivery

9
27
27
Lost pallet 115x115

Packing info

236 cm
75.460 kg.
9
3
121x145x220 cm.

Total weight of outer packaging on pallet

0.2 kg.
0.2 kg.

Quality

Top

Color

Height tolerance

Width tolerance

Diameter opening

Weight tolerance

Capacity

Place

Number by pack

Number by pallet

Number by pallet-place

Type pallet

Height pallet

Weight packaging on pallet

Number by pack

Number by pallet-place

Dimension package

Weight synth. mat. per pallet (eg.

Weight carton per pallet (eg. trays, ...)





moens

p a c k a g i n g



www.moenspackaging.com

Specifications:

Enclosure of product 10

Page: 1

Fiberdrum 100L Ø455x660mm+coating ext.+lid+ring

(285F00126)

Technical specifications

cardboard
NON-FOOD GRADE
Lid + bottom in plastic ; steel closures
Plain, chemical treatment

Dimensions

660 mm +-5mm
455mm
4000 g

Marking

none

Delivery

5
15
15
Lost pallet 115x115

Packing info

211 cm
60.400 kg.
5
3
121x115x196 cm.

Total weight of outer packaging on palet

0.2 kg.
0.2 kg.

Quality

Top

Color

Height tolerance

Diameter opening

Gewicht

Place

Number by pack

Number by pallet

Number by pallet-place

Type pallet

Height pallet

Weight packaging on pallet

Number by pack

Number by pallet-place

Dimension package

Weight synth. mat. per pallet (eg.

Weight carton per pallet (eg. trays, ...)

